

Hot Plate Magnetic Stirrers

(Ambient +5°C to 350°C)

LABEC range of high quality **Magnetic Stirrers** allows heating and stirring to be performed either separately or simultaneously.

The top plate is aluminium die casting coated with ceramic, and is very resistant to corrosive chemicals and easy to clean. It provides rapid heating and excellent thermal distribution.

Generally used for warming and mixing applications, standard reagent mixing and heating and general microbiological applications.

The temperature is digitally controlled including timer function, with PT100 sensor and the stirring speed can be controlled between 200 and 2000rpm with a stirring capacity up to 5 Litres.

Also available with remote control housing.



SPECIFICATIONS

Model	F-HSD180
Stirring Speed	200 - 2000/min
Stirring Capacity	Up to 5000mL
Stirring Control	Digital
Plate Area (mm)	190 x 190
Overall Dimension (mm) W x D x H	320 x 190 x 125
Temperature Control	Digital
Sensor	PT100
Hot Plate Temp (Max)	Ambient up to 350°C
Maximum Plate Load	10 kg
Wattage (W)	600
Weight (kg)	5 kg

Serving the Scientific, Medical and Research industries since 1945

LABEC



Laboratory Equipment Pty Ltd

Laboratory Equipment Pty Ltd

email: sales@labec.com.au

Ph: 02 9560 2811 • Fax: 02 9560 6131

www.labec.com.au